





## Anywhere with Intelligence & Convenience

Small but smart and fully equipped. Bring this battery-powered camera to any places and you get person/vehicle detection, color night vision, spotlight, two-way audio and peace of mind.



## New Smart Detection Tech

With the on-camera technology of analysing person and vehicle shapes, Argus 3 Pro offers accurate detection and thus greatly reduces the false alarms on trivial objects' movement.

## Talk Like You're Here

Built-in mic & speaker allow you to listen and talk back to whoever the camera catches in real time.

## Double Warning For the Unwelcome

Once an intruder is detected, the camera's spotlights and siren will be triggered or manually activated to warn off the would-be criminal. Stop the crime before it happens.



**Office Line**  
+6 03-8066 8482  
+6 03-8060 2818



**Hot Line**  
+6 019-348 1168  
+6 013-234 6821



**Email**  
sales@vshgroup.com.my



**Address**  
No.93, Jalan BP 7/2, Bandar Bukit  
Puchong, 47120 Puchong, Selangor.





## Rechargeable Battery

Powered by a long-lasting rechargeable battery, Argus 3 Pro can work without any cables and run well even during a blackout.

## Solar Powered

Keep the battery fully-charged with Reolink Solar Panel. You are free from replacing and charging the battery for good. Set the cam up and forget it.


**\*\* Sold separately. Designed for Reolink battery-powered camera ONLY**

## Dual-Band WiFi

Endure no more long waits and enjoy a smoother live view with the faster speed and stronger signal brought by the 5GHz (5.8GHz) WiFi. Feel free to switch between the 2.4GHz and 5GHz bands for the best network performance in multiple scenarios. One more choice, lots of conveniences.



## Product Specs



**Office Line**  
+6 03-8066 8482  
+6 03-8060 2818



**Hot Line**  
+6 019-348 1168  
+6 013-234 6821



**Email**  
sales@vshgroup.com.my



**Address**  
No.93, Jalan BP 7/2, Bandar Bukit  
Puchong, 47120 Puchong, Selangor.



### Reolink-Argus-3-Pro-Camera-Specifications

|                     | Model                     | Reolink Argus 3 Pro   |
|---------------------|---------------------------|---|
| Video & Audio       | Image Sensor              | 1/3" CMOS Sensor  |
|                     | Video Resolution          | 2560 x 1440 (4.0 Megapixels) at 15 frames/sec   |
|                     | Video Format              | H.265   |
|                     | Field of View             | Fixed lens, 122° diagonal   |
|                     | Infrared Night Vision     | Up to 10 meters (33ft) (LED: 6pcs/14mil/850nm)  |
|                     | Color Night Vision        | Spotlight: 2pcs/2W/6500K/230 lumens   |
|                     | Digital Zoom              | 16x digital zoom  |
|                     | Audio                     | Two-way audio   |
| Detection & Alerts  | Smart Alarm               | Person detection/vehicle detection; PIR detection   |
|                     | PIR Detecting Distance    | Adjustable, up to 10m (33ft)  |
|                     | PIR Detecting Angle       | 100° horizontal   |
|                     | Audio Alert               | Siren (customizable)  |
|                     | Recording                 | Motion triggered recording  |
|                     | Other Alerts              | Instant email alerts and push notifications   |
| Wireless            | Operating Frequency       | 2.4GHz/5GHz   |
|                     | Wireless Standard         | IEEE 802.11a/b/g/n  |
|                     | Wireless Security         | WPA-PSK/WPA2-PSK  |
| Power               | Battery                   | 6000mAh rechargeable battery (Battery life varies based on settings, usage & temperature)   |
|                     | Solar                     | Reolink Solar Panel   |
|                     | DC Power                  | 5V/2A USB power adapter   |
| Storage             | Local Storage             | Supports up to 128GB micro SD card  |
|                     | Cloud Storage             | Supports Reolink Cloud (available in some countries)  |
| Working Environment | Operating Temperature     | -10°C to 55°C (14°F to 131°F)   |
|                     | Weather Resistance        | IP65 weatherproof   |
| Size & Weight       | Size                      | 121 x 90 x 56 mm (4.76 x 3.54 x 2.2 in)   |
|                     | Weight (battery included) | 330g (11.6 oz)  |
| Warranty            | Limited Warranty          | 2-year limited warranty. For support, visit <a href="https://support.reolink.com/hc/en-us/">https://support.reolink.com/hc/en-us/</a> . |



**Office Line**  
+6 03-8066 8482  
+6 03-8060 2818



**Hot Line**  
+6 019-348 1168  
+6 013-234 6821



**Email**  
[sales@vshgroup.com.my](mailto:sales@vshgroup.com.my)



**Address**  
No.93, Jalan BP 7/2, Bandar Bukit  
Puchong, 47120 Puchong, Selangor.

