

FE-W (WiFi Version)

360° Panoramic Indoor Fisheye Camera

- Multiple Display Modes
- 6MP SHD
- 5/2.4GHz WiFi
- Smart Person Detection
- Built-in Siren
- Quality Night Vision



Product introduction

Super
HD

2K+ HD

Offers crystal-clear 6MP images/videos.
Never miss important details.



Person Detection

Discerns people from other objects.
More accurate alerts.

360°

360° Panoramic View

Super Wide & Super Clear
Follow It Automatically & Closely



Quality Night Vision

All-Day Protection with Night Vision



5/2.4GHz WiFi

Get better network connection with
two WiFi bands available




Remote Two-Way Audio

Say hello to your guests
or deter the unwelcome.

360° Panoramic View

Monitor all corners with one camera. Seeing with 180° viewing angles horizontally and vertically, the camera provides a 360° panoramic field to cover your store, office, meeting room, warehouse, living room, or other wide areas.



180° Angle of View

The 180° viewing angle of the Reolink fisheye camera FE-W greatly surpasses the limit of non-fisheye cameras and will bring you a much bigger picture and more information.



Reolink Fisheye Camera FE-W



Non-Fisheye Camera

1 Fisheye Camera = 4 Cameras

Save your cost by using one fisheye camera instead of four regular cameras. Use the quad view mode and adjust the focuses to four different spots you care about — just like having four cameras in one room!



2K+ 6MP Super HD

Better than traditional 5MP fisheye cameras, Reolink fisheye camera FE-W offers crystal-clear 6MP images/videos. Never miss important details.



Multiple Display Modes

On Reolink App/Client, switch to your preferred display mode to see the more natural images in live view and playback. Control the view by digitally panning, tilting, and zooming in to focus on what you care about.


Note: On the Monitor via NVR, you can only see the original fisheye view and the 5-in-1 view.



Ceiling Mount--fisheye



Wall Mount--fisheye



Desktop Mount--fisheye

Multiple Display Modes

On Reolink App/Client, switch to your preferred display mode to see the more natural images in live view and playback. Control the view by digitally panning, tilting, and zooming in to focus on what you care about.

Note: On the Monitor via NVR, you can only see the original fisheye view and the 5-in-1 view.



Ceiling Mount--Fisheye



Ceiling Mount--Quad View




Ceiling Mount--Dual Panoramic View



Ceiling Mount--Cylindrical View

Remote Two-Way Audio

Have a real-time talk with people beside the camera no matter where you are to respond in time. Say hello to your guests or deter the unwelcome.



Smart Person Detection

When a suspicious person is detected, the camera's siren will be triggered, and you will receive an instant notification. The camera helps you keep an eye on your house, warehouse, store, or restaurant when you're away.



All-Day Protection with Night Vision

The fisheye camera can still see clearly in the dark and help protect your property at night. Make this camera your all-day guard.



5/2.4GHz WiFi - Easy & Flexible

Simple setup in no time with a power adapter and wireless network connectivity. Get better network connection with two WiFi bands available



Flexible Recording Options

The smart IP camera supports 24/7 continuous, motion-triggered, and scheduled recordings. You can save all 3 types of videos securely to micro SD card, Reolink NVR, or FTP server.



Security at Your Fingertips, Anytime & Anywhere



With only a few taps or clicks on Reolink App or Client, you can access your camera remotely and keep an eye on your property anytime, anywhere.

Real-Time Alerts

Receive instant notifications once the security camera has detected something suspicious.




Easy & Smart Playback

Easy & Smart Playback
Find and play back saved videos easily with filters for dates, event types, or detection types.



Motion Zone


Create areas you don't want to receive alarms about. Focus on what matters and stay away from unnecessary alerts.




Control Your Cameras, Hands-Free

As easy as saying "Hey Google, show me the backyard", you can check what's happening there on your Google Nest Hub or Chromecast-enabled TVs.

*** Note: With Google Assistant, you can only see the original fisheye view. The feature is incompatible when camera is connected to NVRs.**



Product Specs



- 1. Microphone
- 2. Daylight Sensor
- 3. Lens
- 4. IR LEDs



- 1. Reset Button
- 2. Micro SD Card Slot
- 3. Mount Base

Product Specs

Video&Audio

Image Sensor	1/2.5"
Default Video Info	2560X2560(6.5Megapixels)@25FPS
Lens	f=1.98mm F=2.0 IR CUT
Zoom	N/A
Video Format	H.265/H.264
Field of View	180°(H), 180°(V), 180°(D)
Pan/Tilt Angle	N/A
Day&Night	IR-cut filter with auto-switching
Infrared Night Vision	8 Meters(3PCS/mil/850nm)
Color Night Vision	N/A
Audio	2-way audio

Interface

Power	DC 12V/1A
System	Reset Button
Ethernet	One 10M/100Mbps RJ45
Storage	Micro SD Card Slot (support up to 256GB micro SD card)

Software

Frame Rate	2-25FPS
Code Rate	MAIN:4096-8192Kbps default: 5120kbps Sub:64-512Kbps default: 256kbps
Browsers Supported	Edge, Chrome, Firefox, Safari
OS Supported	PC: Windows, Mac OS; Smartphone: iOS, Android
Smart Alarm	Motion detection AI detection
Record Mode	Motion Recording ;scheduled recording; 24/7 recording
Protocols & Standards	HTTPS, SSL, TCP/IP, UDP, HTTP, IPv4, UPnP, RTSP, RTMP, SMTP, NTP, DHCP, DNS, DDNS, FTP, P2P
Maximal User Access	20 users (1 admin account & 19 user&administrator accounts); supports up to 12 simultaneous video streams (10 substreams & 2 mainstreams)
IOT	√
Work with	Google Assistant

Product Specs

AI

human detection	√
car detection	N/A
pet detection	N/A
auto tracking	N/A

Wi-Fi

Wireless Standard	IEEE 802.11a/ b/g/n
Operating Frequency	2.4 GHz/5 GHz
Wireless Security	WPA-PSK/WPA2-PSK

Working Environment

Temperature	-10°C~+55°C(14°F~131°F)
Humidity	10%~90%
Waterproof	NA

Size & Weight

Dimension	Ø126x49.2mm
Weight	293g

reolink

www.reolink.com