

reolink

EN

Reolink Go PT Ultra

First 4K 4G LTE Pan-Tilt Battery/Solar Camera



4K

4K UHD

Experience true-to-life visuals with 4K UHD. Never miss a detail.



Smart Detection

Distinguish people, vehicles, and pets from other trivial things.



Pan & Tilt

Pan 355° and tilt 140° to get more areas covered.



Battery/Solar Powered

Works where power cables and outlets cannot reach.

4G

4G LTE Network

No WiFi needed. Goes anywhere with cellular connectivity.



Color Night Vision

See vivid details in full color even at night with spotlights.



Two-Way Audio

Real-time communication with built-in mic & speaker.



Time Lapse

Condense a day into minutes and see changes quickly.



Remote Access

Check your property anytime anywhere via App/Client.



Office Line
+6 03-8066 8482
+6 03-8060 2818



Hot Line
+6 019-348 1168
+6 013-234 6821



Email
sales@vshgroup.com.my



Address
No.93, Jalan BP 7/2, Bandar Bukit Puchong, 47120 Puchong, Selangor.





4K Ultra HD, Now on 4G Camera

Immerse yourself in the true-to-life 4K visuals brought by this cellular battery camera. Use it to explore the beauty of nature or keep a keen eye on your farm.



Pan-Tilt to Cover More

The camera can pan 355° and tilt 140° to sweep off blind spots. Get a more complete view for all-around protection.



Get Alerts That Matter

Get alerts just for things you care about, like moving people, vehicles, and pets. Eliminate unnecessary notifications.



Two Night Vision Modes

Equipped with both IR LEDs and spotlights. See color at night with the spotlights on.



Wire-Free, Hassle-Free

Install this wire-free battery camera anywhere you want. You can also connect it to a solar panel for continuous power.



Office Line
+6 03-8066 8482
+6 03-8060 2818



Hot Line
+6 019-348 1168
+6 013-234 6821



Email
sales@vshgroup.com.my



Address
No.93, Jalan BP 7/2, Bandar Bukit
Puchong, 47120 Puchong, Selangor.



Model	Reolink Go PT Ultra	
Video & Audio	Image Sensor	1/2.7" CMOS sensor
	Video Resolution	3840 x 2160 (8 megapixel)@15fps
	Video Format	H.265
	Field of View	Fixed lens, horizontal: 90°, vertical: 47°, diagonal: 110°
	Infrared Night Vision	Up to 10 meters (33ft) (LED: 2pcs/1.2W/850nm)
	Color Night Vision	Spotlight: 2pcs/2.4W/6500K
	Audio	Two-way audio
Alarm	Smart Alarm	PIR detection/person detection/vehicle detection/pet detection
	PIR Detecting Distance	Adjustable up to 10m (33 ft)
	PIR Detecting Angle	120° horizontal
	Audio Alert	Customized audio alerts
	Recording	Motion-triggered recording
	Other Alerts	Instant email alerts and push notifications
Pan & Tilt	Pan & Tilt	Pan: 355°, Tilt: 140°
	Preset	Supports 1 guard position & up to 32 preset positions
3G/4G	Frequency Bands	Europe version: LTE FDD: B1/B3/B7/B8/B20/B28A WCDMA: B1/B8 USA version: LTE FDD: B2/B4/B5/B12/B13/B14/B66/B71 Australia version: LTE FDD: B1/B3/B5/B7/B8/B28 WCDMA: B1/B5/B8
Power	Power	21.6Wh rechargeable battery (Battery life varies based on settings, usage & temperature)
	Solar	Reolink Solar Panel 2 (Optional)
	DC Power	USB Type-C port
Storage	Local Storage	microSD card (32GB included, max. 128GB)
	Cloud Storage	Reolink Cloud (only available in some countries)
Smart Home	Smart Home	Google Assistant
Working Environment	Operating Temperature	-10 to 55° C (14° to 131° F)
	Weather Resistance	IP64
Size & Weight	Size	ø98 x 122mm
	Weight (Battery included)	496g
Warranty	Limited Warranty	2-year limited warranty. For support, visit https://support.reolink.com/hc/en-us/





- 1 Speaker
- 2 IR LEDs
- 3 Spotlights
- 4 Daylight Sensor
- 5 Lens
- 6 Status LED
- 7 PIR Motion Sensor
- 8 Built-in Microphone



- 1 Antenna
- 2 Battery Status LED
- 3 USB-C Port
- 4 Power Switch
- 5 Reset Hole
- 6 Nano SIM Card Slot
- 7 microSD Card Slot

