

Product datasheet

Specifications



Smart-UPS SRT 19" rail kit for SRT 2.2/3kVA



SRTRK4

Overview

Presentation	Accessory solutions to tailor the Smart-UPS to meet your specific needs.
Lead time	Usually in Stock

Main

Product or component type	Rail
Provided equipment	Installation guide Mounting hardware Rack mounting brackets
Range of product	Smart-UPS Accessories

Physical

Height	4.4 cm
Width	52.7 cm
Depth	8.9 cm
Product weight	2.72 kg
Mounting mode	Rack-mounted

Environmental

Ambient air temperature for operation	-76...140 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 % non-condensing
Ambient air temperature for storage	-76...140 °C
Storage altitude	0.0000000000...3048.0000000000 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7 cm
Package 1 Width	18.5 cm
Package 1 Length	69.5 cm
Package 1 Weight	3.35 kg

Contractual warranty

Warranty

2 years repair or replace

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

Circularity Profile

[End of Life Information](#)

Take-back

Yes